15 Menangle Rd, Menangle

DA Consent 85/2865, EPA Licence No: 3132

Location of Monitoring Points:

DDG1: to the east of the site entry compound

DDG2: near groundwater monitoring location BH2

DDG3: near groundwater monitoring location BH4

Summary of Results:

Particulates	Unit of Measure	Lowest sample value	Highest sample value	Mean of samples
Ash Content	g/m²	0.2	6.3	3.2
Combustable Matter	g/m ²	0.2	4.1	2.2

Individual Results:

DDG1:

Sample Date	Particulate	Unit of Measure	Test Result
31/01/2025	Ash Content	g/m ²	3.2
31/01/2023	Combustible Matter	g/m ²	2.4
	TOTAL	g/m ²	5.6

DDG2:

Sample Date	Pollutant	Unit of Measure	Test Result
31/01/2025	Ash Content	g/m ²	6.3
31/01/2023	Combustible Matter	g/m ²	4.1
-	TOTAL	g/m ²	10.4

Sample Date	Pollutant	Unit of Measure	Test Result
31/01/2025	Ash Content	g/m ²	0.2
31/01/2023	Combustible Matter	g/m ²	0.2
	TOTAL	g/m ²	0.4

15 Menangle Rd, Menangle

DA Consent 85/2865, EPA Licence No: 3132

Location of Monitoring Points:

DDG1: to the east of the site entry compound

DDG2: near groundwater monitoring location BH2

DDG3: near groundwater monitoring location BH4

Summary of Results:

Particulates	Unit of Measure	Lowest sample value	Highest sample value	Mean of samples
Ash Content	g/m ²	0.1	0.6	0.4
Combustable Matter	g/m ²	0.1	0.6	0.4

Individual Results:

DDG1:

Sample Date	Particulate	Unit of Measure	Test Result
28/02/2025	Ash Content	g/m ²	0.6
20/02/2023	Combustible Matter	g/m ²	0.6
•	TOTAL	g/m ²	1.2

DDG2:

Sample Date	Pollutant	Unit of Measure	Test Result
28/02/2025	Ash Content	g/m ²	0.6
20/02/2023	Combustible Matter	g/m ²	0.4
	TOTAL	g/m ²	1.0

Sample Date	Pollutant	Unit of Measure	Test Result
28/02/2025	Ash Content	g/m ²	0.1
28/02/2023	Combustible Matter	g/m ²	0.1
_	TOTAL	g/m ²	0.1

15 Menangle Rd, Menangle

DA Consent 85/2865, EPA Licence No: 3132

Location of Monitoring Points:

DDG1: to the east of the site entry compound

DDG2: near groundwater monitoring location BH2

DDG3: near groundwater monitoring location BH4

Summary of Results:

Particulates	Unit of Measure	Lowest sample value	Highest sample value	Mean of samples
Ash Content	g/m²	0.1	0.9	0.5
Combustable Matter	g/m²	0.1	0.7	0.4

Individual Results:

DDG1:

Sample Date	Particulate	Unit of Measure	Test Result
31/03/2025	Ash Content	g/m ²	0.9
31/03/2023	Combustible Matter	g/m ²	0.7
•	TOTAL	g/m ²	1.6

DDG2:

Sample Date	Pollutant	Unit of Measure	Test Result
31/03/2025	Ash Content	g/m ²	0.6
31/03/2023	Combustible Matter	g/m ²	0.5
	TOTAL	g/m ²	1.1

Sample Date	Pollutant	Unit of Measure	Test Result
31/03/2025	Ash Content	g/m ²	0.1
31/03/2023	Combustible Matter	g/m ²	0.1
•	TOTAL	g/m ²	0.2

15 Menangle Rd, Menangle

DA Consent 85/2865, EPA Licence No: 3132

Location of Monitoring Points:

DDG1: to the east of the site entry compound

DDG2: near groundwater monitoring location BH2

DDG3: near groundwater monitoring location BH4

Summary of Results:

Particulates	Unit of Measure	Lowest sample value	Highest sample value	Mean of samples
Ash Content	g/m ²	0.4	2.7	1.7
Combustable Matter	g/m ²	0.3	1.9	1.1

Individual Results:

DDG1:

Sample Date	Particulate	Unit of Measure	Test Result
30/04/2025	Ash Content	g/m ²	1.9
30/04/2023	Combustible Matter	g/m ²	1.1
	TOTAL	g/m ²	3.0

DDG2:

Sample Date	Pollutant	Unit of Measure	Test Result
30/04/2025	Ash Content	g/m ²	2.7
30/04/2023	Combustible Matter	g/m ²	1.9
	TOTAL	g/m ²	4.6

Sample Date	Pollutant	Unit of Measure	Test Result
30/04/2025	Ash Content	g/m ²	0.4
30/04/2023	Combustible Matter	g/m ²	0.3
	TOTAL	g/m ²	0.7