

Monitoring Requirements:

Grab samples are required to be taken within the first 2 hours following each 5-day consecutive rainfall event and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Steel pipe and overflow channel discharge from sediment pond labelled "SFSW-1" on map titled "Figure 5.3 Environmental Monitoring" submitted to the EPA with Licence Information Form dated 11/11/99.

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	0.0	0.0	#DIV/0!
Total Suspended Solids	mg/L	50	0.0	0.0	#DIV/0!
Turbidity	NTU	20	0.0	0.0	#DIV/0!

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during this period					

Monitoring Requirements:

Grab samples are required to be taken within the first 2 hours following each 5-day consecutive rainfall event and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Steel pipe and overflow channel discharge from sediment pond labelled "SFSW-1" on map titled "Figure 5.3 Environmental Monitoring" submitted to the EPA with Licence Information Form dated 11/11/99.

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-
Turbidity	NTU	20	-	-	-

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during this period					

Monitoring Requirements:

Grab samples are required to be taken within the first 2 hours following each 5-day consecutive rainfall event and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Steel pipe and overflow channel discharge from sediment pond labelled "SFSW-1" on map titled "Figure 5.3 Environmental Monitoring" submitted to the EPA with Licence Information Form dated 11/11/99.

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5			
Total Suspended Solids	mg/L	50			
Turbidity	NTU	20			

Individual Results:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during this period					

Monitoring Requirements:

Grab samples are required to be taken within the first 2 hours following each 5-day consecutive rainfall event and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Steel pipe and overflow channel discharge from sediment pond labelled "SFSW-1" on map titled "Figure 5.3 Environmental Monitoring" submitted to the EPA with Licence Information Form dated 11/11/99.

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-
Turbidity	NTU	20	-	-	-

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during this period					

Monitoring Requirements:

Grab samples are required to be taken within the first 2 hours following each 5-day consecutive rainfall event and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Steel pipe and overflow channel discharge from sediment pond labelled "SFSW-1" on map titled "Figure 5.3 Environmental Monitoring" submitted to the EPA with Licence Information Form dated 11/11/99.

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-
Turbidity	NTU	20	-	-	-

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during this period					

Monitoring Requirements:

Grab samples are required to be taken within the first 2 hours following each 5-day consecutive rainfall event and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Steel pipe and overflow channel discharge from sediment pond labelled "SFSW-1" on map titled "Figure 5.3 Environmental Monitoring" submitted to the EPA with Licence Information Form dated 11/11/99.

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-
Turbidity	NTU	20	-	-	-

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during this period					

Monitoring Requirements:

Grab samples are required to be taken within the first 2 hours following each 5-day consecutive rainfall event and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1: Steel pipe and overflow channel discharge from sediment pond labelled "SFSW-1" on map titled "Figure 5.3 Environmental Monitoring" submitted to the EPA with Licence Information Form dated 11/11/99.

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	0.00	0.00	#DIV/0!
Total Suspended Solids	mg/L	50	0	0	#DIV/0!
Turbidity	NTU	20	0	0	#DIV/0!

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during this period					

Monitoring Requirements:

Grab samples are required to be taken within the first 2 hours following each 5-day consecutive rainfall event and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Steel pipe and overflow channel discharge from sediment pond labelled "SFSW-1" on map titled "Figure 5.3 Environmental Monitoring" submitted to the EPA with Licence Information Form dated 11/11/99.

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-
Turbidity	NTU	20	-	-	-

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during this period					

Monitoring Requirements:

Grab samples are required to be taken within the first 2 hours following each 5-day consecutive rainfall event and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Steel pipe and overflow channel discharge from sediment pond labelled "SFSW-1" on map titled "Figure 5.3 Environmental Monitoring" submitted to the EPA with Licence Information Form dated 11/11/99.

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-
Turbidity	NTU	20	-	-	-

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during this period					

Monitoring Requirements:

Grab samples are required to be taken within the first 2 hours following each 5-day consecutive rainfall event and tested for pH, total suspended solids and turbidity.

NOTE: Concentration limits do not apply when the discharge occurs solely as a result of rainfall exceeding a total of 49mm over any consecutive 5 day period

Location of Monitoring Points:

Monitoring Point 1:

Steel pipe and overflow channel discharge from sediment pond labelled "SFSW-1" on map titled "Figure 5.3 Environmental Monitoring" submitted to the EPA with Licence Information Form dated 11/11/99.

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	#REF!	#REF!	#REF!
Total Suspended Solids	mg/L	50	#REF!	#REF!	#REF!
Turbidity	NTU	20	#REF!	#REF!	#REF!

Individual Results:

Monitoring Point 1:

Discharge events during this period	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during this period					

Monitoring Requirements:

Grab samples are required to be taken within the first 2 hours following each 5-day consecutive rainfall event and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Steel pipe and overflow channel discharge from sediment pond labelled "SFSW-1" on map titled "Figure 5.3 Environmental Monitoring" submitted to the EPA with Licence Information Form dated 11/11/99.

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	0.00	0.00	#DIV/0!
Total Suspended Solids	mg/L	50	0.00	0.00	#DIV/0!
Turbidity	NTU	20	0.00	0.00	#DIV/0!

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during this period					

Monitoring Requirements:

Grab samples are required to be taken within the first 2 hours following each 5-day consecutive rainfall event and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Steel pipe and overflow channel discharge from sediment pond labelled "SFSW-1" on map titled "Figure 5.3 Environmental Monitoring" submitted to the EPA with Licence Information Form dated 11/11/99.

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-
Turbidity	NTU	20	-	-	-

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during this period					