

Water Monitoring Requirements:

Grab samples are required to be taken every 3/6 months.

Location of Monitoring Points:

Monitoring Point 1: Boreholes labelled on map titled "Location Plan" submitted to the EPA on 14 March 2003.

Summary of Results:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	No. of Samples Required by Licence	No. of Samples Collected & Analysed	Lowest sample value	Highest sample value	Mean of samples	Sample Date						
								17/01/2022	14/02/2022	17/03/2022	19/04/2022	19/05/2022	21/06/2022	28/07/2022
Alkalinity (as CaCO ₃)	mg/L	No limits apply - sampling for monitoring purposes only	3	3	60	115	92	100			60			115
Aluminium (Al)	mg/L		2	2	0.05	0.05	0	0.05						0.05
Arsenic (As)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Barium (Ba)	mg/L		2	2	0.05	0.05	0	0.05						0.05
Cadmium (Cd)	mg/L		2	2	0.0005	0.0005	0	0.0005						0.0005
Chromium (Cr)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Conductivity	uS/cm		3	3	570	5190	2393	5190			570			1420
Copper (Cu)	mg/L		2	2	0.005	0.03	0	0.005						0.03
Iron (Fe)	mg/L		2	2	0.02	0.29	0	0.02						0.29
Lead (Pb)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Manganese (Mn)	mg/L		3	3	0.005	0.31	0	0.005			0.005			0.31
Mercury (Hg)	mg/L		3	3	0.00005	0.0005	0	0.0005			0.00005			0.00005
Nitrate + Nitrite (oxidised Nitrogen)	mg/L		3	3	0.05	0.32	0	0.05			0.32			0.17
Nitrogen-Ammonia	mg/L		3	3	0.05	0.7	0	0.05			0.2			0.7
Organochlorine Pesticides	ug/L		2	2	0.1	0.1	0	0.1						0.1
Phenols	mg/L		2	2	0.05	0.05	0	0.05						0.05
Polycyclic Aromatic Hydrocarbons	ug/L		2	2	2.5	2.5	3	2.5						2.5
Selenium (Se)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Total Dissolved Solids	mg/L		3	3	380	3380	1563	3380			380			930
Total Organic Carbon	mg/L		3	3	8	12	10	10			12			8
Total Petroleum Hydrocarbons	ug/L		2	2	50	50	50	50						50
Zinc (Zn)	mg/L		2	2	0.005	0.11	0	0.005						0.11
pH	pH		7	7	6.8	8.5	8	7.9	8.5	7.2	7.6	6.8	7.4	7.6

Sampling frequency

Every month
Every 3 months
Every 6 months

Water Monitoring Requirements:

Grab samples are required to be taken every 3/6 months.

Location of Monitoring Points:

Monitoring Point 2: Boreholes labelled on map titled "Location Plan" submitted to the EPA on 14 March 2003.

Summary of Results:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	No. of Samples Required by Licence	No. of Samples Collected & Analysed	Lowest sample value	Highest sample value	Mean of samples	Sample Date						
								17/01/2022	14/02/2022	17/03/2022	19/04/2022	19/05/2022	21/06/2022	28/07/2022
Alkalinity (as CaCO ₃)	mg/L	No limits apply - sampling for monitoring purposes only	3	3	52	120	89	95			52			120
Aluminium (Al)	mg/L		2	2	0.05	0.05	0	0.05						0.05
Arsenic (As)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Barium (Ba)	mg/L		2	2	0.05	0.05	0	0.05						0.05
Cadmium (Cd)	mg/L		2	2	0.0005	0.0005	0	0.0005						0.0005
Chromium (Cr)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Conductivity	uS/cm		3	3	550	4780	2240	4780			550			1390
Copper (Cu)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Iron (Fe)	mg/L		2	2	0.04	0.18	0	0.04						0.18
Lead (Pb)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Manganese (Mn)	mg/L		3	3	0.005	0.37	0	0.005			0.02			0.37
Mercury (Hg)	mg/L		3	3	0.00005	0.00005	0	0.00005			0.00005			0.00005
Nitrate + Nitrite (oxidised Nitrogen)	mg/L		3	3	0.05	0.39	0	0.05			0.39			0.22
Nitrogen-Ammonia	mg/L		3	3	0.1	0.7	0	0.1			0.2			0.7
Organochlorine Pesticides	ug/L		2	2	0.1	0.1	0	0.1						0.1
Phenols	mg/L		2	2	0.05	0.05	0	0.05						0.05
Polycyclic Aromatic Hydrocarbons	ug/L		2	2	2.5	2.5	3	2.5						2.5
Selenium (Se)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Total Dissolved Solids	mg/L		3	3	370	3130	1470	3130			370			910
Total Organic Carbon	mg/L		3	3	8	11	9	9			11			8
Total Petroleum Hydrocarbons	ug/L		2	2	50	50	50	50						50
Zinc (Zn)	mg/L		2	2	0.005	0.02	0	0.005						0.02
pH	pH		7	7	6.3	7.7	7	7.7	7.1	7.3	7.4	6.3	7.3	7.5

Sampling frequency

Every month
Every 3 months
Every 6 months

Water Monitoring Requirements:

Grab samples are required to be taken every 3/6 months.

Location of Monitoring Points:

Monitoring Point 3: Boreholes labelled on map titled "Location Plan" submitted to the EPA on 14 March 2003.

Summary of Results:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	No. of Samples Required by Licence	No. of Samples Collected & Analysed	Lowest sample value	Highest sample value	Mean of samples	Sample Date						
								17/01/2022	14/02/2022	17/03/2022	19/04/2022	19/05/2022	21/06/2022	28/07/2022
Alkalinity (as CaCO ₃)	mg/L	No limits apply - sampling for monitoring purposes only	3	3	0.5	54	18	54			0.5			0.5
Aluminium (Al)	mg/L		2	2	0.05	1.9	1	0.05						1.9
Arsenic (As)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Barium (Ba)	mg/L		2	2	0.05	0.05	0	0.05						0.05
Cadmium (Cd)	mg/L		2	2	0.0005	0.0005	0	0.0005						0.0005
Chromium (Cr)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Conductivity	uS/cm		3	3	5500	6200	5930	5500			6090			6200
Copper (Cu)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Iron (Fe)	mg/L		2	2	0.39	3.5	2	0.39						3.5
Lead (Pb)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Manganese (Mn)	mg/L		3	3	0.09	0.15	0	0.12			0.15			0.09
Mercury (Hg)	mg/L		3	3	0.00005	0.00005	0	0.00005			0.00005			0.00005
Nitrate + Nitrite (oxidised Nitrogen)	mg/L		3	3	0.05	0.05	0	0.05			0.05			0.05
Nitrogen-Ammonia	mg/L		3	3	0.05	0.1	0	0.1			0.05			0.1
Organochlorine Pesticides	ug/L		2	2	0.1	0.1	0	0.1						0.1
Phenols	mg/L		2	2	0.05	0.05	0	0.05						0.05
Polycyclic Aromatic Hydrocarbons	ug/L		2	2	2.5	2.5	3	2.5						2.5
Selenium (Se)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Total Dissolved Solids	mg/L		3	3	3590	4050	3880	3590			4000			4050
Total Organic Carbon	mg/L		3	3	8	16	12	8			16			12
Total Petroleum Hydrocarbons	ug/L		2	2	50	50	50	50						50
Zinc (Zn)	mg/L		2	2	0.04	0.13	0	0.04						0.13
pH	pH		7	7	4	6.4	5	6.2	6.4	4.6	4.8	5.6	6.1	4.0

Sampling frequency

Every month
Every 3 months
Every 6 months

Water Monitoring Requirements:

Grab samples are required to be taken every 3/6 months.

Location of Monitoring Points:

Monitoring Point 4: Boreholes labelled on map titled "Location Plan" submitted to the EPA on 14 March 2003.

Summary of Results:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	No. of Samples Required by Licence	No. of Samples Collected & Analysed	Lowest sample value	Highest sample value	Mean of samples	Sample Date						
								17/01/2022	14/02/2022	17/03/2022	19/04/2022	19/05/2022	21/06/2022	28/07/2022
Alkalinity (as CaCO ₃)	mg/L	No limits apply - sampling for monitoring purposes only	3	3	43	80	66	74			80			43
Aluminium (Al)	mg/L		2	2	0.05	0.05	0	0.05						0.05
Arsenic (As)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Barium (Ba)	mg/L		2	2	0.05	0.05	0	0.05						0.05
Cadmium (Cd)	mg/L		2	2	0.0005	0.0005	0	0.0005						0.0005
Chromium (Cr)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Conductivity	uS/cm		3	3	2560	20600	11953	20600			12700			2560
Copper (Cu)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Iron (Fe)	mg/L		2	2	0.03	3.1	2	3.1						0.03
Lead (Pb)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Manganese (Mn)	mg/L		3	3	0.08	0.27	0	0.27			0.15			0.08
Mercury (Hg)	mg/L		3	3	0.00005	0.00005	0	0.00005			0.00005			0.00005
Nitrate + Nitrite (oxidised Nitrogen)	mg/L		3	3	0.05	0.05	0	0.05			0.05			0.05
Nitrogen-Ammonia	mg/L		3	3	0.2	1.8	1	1.8			1.3			0.2
Organochlorine Pesticides	ug/L		2	2	0.1	0.1	0	0.1						0.1
Phenols	mg/L		2	2	0.05	0.05	0	0.05						0.05
Polycyclic Aromatic Hydrocarbons	ug/L		2	2	2.5	2.5	3	2.5						2.5
Selenium (Se)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Total Dissolved Solids	mg/L		3	3	1670	13400	7777	13400			8260			1670
Total Organic Carbon	mg/L		3	3	3	5	4	3			4			5
Total Petroleum Hydrocarbons	ug/L		2	2	50	50	50	50						50
Zinc (Zn)	mg/L		2	2	0.01	0.08	0	0.01						0.08
pH	pH		7	7	6	6.6	6	6.4	6.6	6	6.4	6.6	6.4	6

Sampling frequency

Every month
Every 3 months
Every 6 months

Water Monitoring Requirements:

Grab samples are required to be taken every 3/6 months.

Location of Monitoring Points:

Monitoring Point 5: Boreholes labelled on map titled "Location Plan" submitted to the EPA on 14 March 2003.

Summary of Results:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	No. of Samples Required by Licence	No. of Samples Collected & Analysed	Lowest sample value	Highest sample value	Mean of samples	Sample Date						
								17/01/2022	14/02/2022	17/03/2022	19/04/2022	19/05/2022	21/06/2022	28/07/2022
Alkalinity (as CaCO ₃)	mg/L	No limits apply - sampling for monitoring purposes only	3	3	0.5	0.5	1	0.5			0.5			0.5
Aluminium (Al)	mg/L		2	2	5.3	83	44	5.3						83
Arsenic (As)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Barium (Ba)	mg/L		2	2	0.05	0.05	0	0.05						0.05
Cadmium (Cd)	mg/L		2	2	0.0005	0.0005	0	0.0005						0.0005
Chromium (Cr)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Conductivity	uS/cm		3	3	5400	9150	7510	5400			9150			7980
Copper (Cu)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Iron (Fe)	mg/L		2	2	17	33	25	17						33
Lead (Pb)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Manganese (Mn)	mg/L		3	3	15	27	21	15			27			21
Mercury (Hg)	mg/L		3	3	0.00005	0.00005	0	0.00005			0.00005			0.00005
Nitrate + Nitrite (oxidised Nitrogen)	mg/L		3	3	0.05	0.14	0	0.14			0.05			0.11
Nitrogen-Ammonia	mg/L		3	3	0.7	5.9	3	0.7			5.9			3
Organochlorine Pesticides	ug/L		2	2	0.1	0.1	0	0.1						0.1
Phenols	mg/L		2	2	0.05	0.05	0	0.05						0.05
Polycyclic Aromatic Hydrocarbons	ug/L		2	2	2.5	2.5	3	2.5						2.5
Selenium (Se)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Total Dissolved Solids	mg/L		3	3	3500	5980	4890	3500			5980			5190
Total Organic Carbon	mg/L		3	3	14	19	16	15			19			14
Total Petroleum Hydrocarbons	ug/L		2	2	50	50	50	50						50
Zinc (Zn)	mg/L		2	2	3.2	4.3	4	3.2						4.3
pH	pH		7	7	3.2	3.9	3	3.8	3.6	3.2	3.9	3.3	3.2	3.4

Sampling frequency

Every month
Every 3 months
Every 6 months

Water Monitoring Requirements:

Grab samples are required to be taken every 3/6 months.

Location of Monitoring Points:

Monitoring Point 7: Boreholes labelled on map titled "Location Plan" submitted to the EPA on 14 March 2003.

Summary of Results:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	No. of Samples Required by Licence	No. of Samples Collected & Analysed	Lowest sample value	Highest sample value	Mean of samples	Sample Date						
								17/01/2022	14/02/2022	17/03/2022	19/04/2022	19/05/2022	21/06/2022	28/07/2022
Alkalinity (as CaCO ₃)	mg/L	No limits apply - sampling for monitoring purposes only	3	3	61	140	105	115			61			140
Aluminium (Al)	mg/L		2	2	0.05	0.05	0	0.05						0.05
Arsenic (As)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Barium (Ba)	mg/L		2	2	0.05	0.05	0	0.1						0.05
Cadmium (Cd)	mg/L		2	2	0.0005	0.0005	0	0.0005						0.0005
Chromium (Cr)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Conductivity	uS/cm		3	3	550	4930	2350	4930			550			1570
Copper (Cu)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Iron (Fe)	mg/L		2	2	0.05	0.35	0	0.05						0.35
Lead (Pb)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Manganese (Mn)	mg/L		3	3	0.02	0.29	0	0.02			0.04			0.29
Mercury (Hg)	mg/L		3	3	0.00005	0.00005	0	0.00005			0.00005			0.00005
Nitrate + Nitrite (oxidised Nitrogen)	mg/L		3	3	0.05	0.23	0	0.05			0.23			0.05
Nitrogen-Ammonia	mg/L		3	3	0.05	0.6	0	0.05			0.05			0.6
Organochlorine Pesticides	ug/L		2	2	0.1	0.1	0	0.1						0.1
Phenols	mg/L		2	2	0.05	0.05	0	0.05						0.05
Polycyclic Aromatic Hydrocarbons	ug/L		2	2	2.5	2.5	3	2.5						2.5
Selenium (Se)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Total Dissolved Solids	mg/L		3	3	360	3230	1540	3230			360			1030
Total Organic Carbon	mg/L		3	3	8	12	10	9			12			8
Total Petroleum Hydrocarbons	ug/L		2	2	50	50	50	50						50
Zinc (Zn)	mg/L		2	2	0.005	0.02	0	0.005						0.02
pH	pH		7	7	6.8	7.8	7	7.8	7.2	7.4	7.8	6.8	7.1	7.1

Sampling frequency

Every month
Every 3 months
Every 6 months

Water Monitoring Requirements:

Grab samples are required to be taken every 3/6 months.

Location of Monitoring Points:

Monitoring Point 8: Boreholes labelled on map titled "Location Plan" submitted to the EPA on 14 March 2003.

Summary of Results:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	No. of Samples Required by Licence	No. of Samples Collected & Analysed	Lowest sample value	Highest sample value	Mean of samples	Sample Date						
								17/01/2022	14/02/2022	17/03/2022	19/04/2022	19/05/2022	21/06/2022	28/07/2022
Alkalinity (as CaCO ₃)	mg/L	No limits apply - sampling for monitoring purposes only	3	3	37	63	50	51			37			63
Aluminium (Al)	mg/L		2	2	0.05	0.05	0	0.05						0.05
Arsenic (As)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Barium (Ba)	mg/L		2	2	0.05	0.05	0	0.05						0.05
Cadmium (Cd)	mg/L		2	2	0.0005	0.0005	0	0.0005						0.0005
Chromium (Cr)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Conductivity	uS/cm		3	3	440	700	537	700			440			470
Copper (Cu)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Iron (Fe)	mg/L		2	2	0.19	0.58	0	0.19						0.58
Lead (Pb)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Manganese (Mn)	mg/L		3	3	0.02	0.07	0	0.03			0.07			0.02
Mercury (Hg)	mg/L		3	3	0.00005	0.00005	0	0.00005			0.00005			0.00005
Nitrate + Nitrite (oxidised Nitrogen)	mg/L		3	3	0.33	0.46	0	0.46			0.33			0.33
Nitrogen-Ammonia	mg/L		3	3	0.3	1.5	1	0.8			0.3			1.5
Organochlorine Pesticides	ug/L		2	2	0.1	0.1	0	0.1						0.1
Phenols	mg/L		2	2	0.05	0.05	0	0.05						0.05
Polycyclic Aromatic Hydrocarbons	ug/L		2	2	2.5	2.5	3	2.5						2.5
Selenium (Se)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Total Dissolved Solids	mg/L		3	3	280	460	350	460			280			310
Total Organic Carbon	mg/L		3	3	6	12	9	10			12			6
Total Petroleum Hydrocarbons	ug/L		2	2	50	50	50	50						50
Zinc (Zn)	mg/L		2	2	0.005	0.01	0	0.005						0.01
pH	pH		7	7	6.9	7.3	7	7	7.2	6.9	7.2	7.1	7.3	7.2

Sampling frequency

Every month
Every 3 months
Every 6 months

Water Monitoring Requirements:

Grab samples are required to be taken every 3/6 months.

Location of Monitoring Points:

Monitoring Point 9: Boreholes labelled on map titled "Location Plan" submitted to the EPA on 14 March 2003.

Summary of Results:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	No. of Samples Required by Licence	No. of Samples Collected & Analysed	Lowest sample value	Highest sample value	Mean of samples	Sample Date						
								17/01/2022	14/02/2022	17/03/2022	19/04/2022	19/05/2022	21/06/2022	28/07/2022
Alkalinity (as CaCO ₃)	mg/L	No limits apply - sampling for monitoring purposes only	3	3	43	63	52	51			43			63
Aluminium (Al)	mg/L		2	2	0.05	0.05	0	0.05						0.05
Arsenic (As)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Barium (Ba)	mg/L		2	2	0.05	0.05	0	0.05						0.05
Cadmium (Cd)	mg/L		2	2	0.0005	0.0005	0	0.0005						0.0005
Chromium (Cr)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Conductivity	uS/cm		3	3	510	730	590	730			510			530
Copper (Cu)	mg/L		2	2	0.005	0.05	0	0.05						0.005
Iron (Fe)	mg/L		2	2	0.08	0.59	0	0.08						0.59
Lead (Pb)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Manganese (Mn)	mg/L		3	3	0.005	0.06	0	0.02			0.06			0.005
Mercury (Hg)	mg/L		3	3	0.00005	0.00005	0	0.00005			0.00005			0.00005
Nitrate + Nitrite (oxidised Nitrogen)	mg/L		3	3	0.37	0.47	0	0.47			0.37			0.4
Nitrogen-Ammonia	mg/L		3	3	0.3	1.8	1	0.7			0.3			1.8
Organochlorine Pesticides	ug/L		2	2	0.1	0.1	0	0.1						0.1
Phenols	mg/L		2	2	0.05	0.05	0	0.05						0.05
Polycyclic Aromatic Hydrocarbons	ug/L		2	2	2.5	2.5	3	2.5						2.5
Selenium (Se)	mg/L		2	2	0.005	0.005	0	0.005						0.005
Total Dissolved Solids	mg/L		3	3	340	480	390	480			340			350
Total Organic Carbon	mg/L		3	3	7	11	9	10			11			7
Total Petroleum Hydrocarbons	ug/L		2	2	50	50	50	50						50
Zinc (Zn)	mg/L		2	2	0.005	0.02	0	0.005						0.02
pH	pH		7	7	6.8	7.3	7	7	7.2	6.8	7	7	7.3	7.1

Sampling frequency

Every month
Every 3 months
Every 6 months

Water Monitoring Requirements:

Grab samples are required to be taken every 3/6 months.

Location of Monitoring Points:

Monitoring Point 10: Boreholes labelled on map titled "Location Plan" submitted to the EPA on 14 March 2003.

Summary of Results:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	No. of Samples Required by Licence	No. of Samples Collected & Analysed	Lowest sample value	Highest sample value	Mean of samples	Sample Date			
								17/01/2022	14/02/2022	17/03/2022	
Alkalinity (as CaCO ₃)	mg/L	No limits apply - sampling for monitoring purposes only	1	1	195	195	195	195			During April MP10 has been removed due to earthworks related to the development on the site, we therefore can no longer monitor MP10.
Aluminium (Al)	mg/L		1	1	0.05	0.05	0	0.05			
Arsenic (As)	mg/L		1	1	0.005	0.005	0	0.005			
Barium (Ba)	mg/L		1	1	0.05	0.05	0	0.05			
Cadmium (Cd)	mg/L		1	1	0.0005	0.0005	0	0.0005			
Chromium (Cr)	mg/L		1	1	0.005	0.005	0	0.005			
Conductivity	uS/cm		1	1	1610	1610	1610	1610			
Copper (Cu)	mg/L		1	1	0.005	0.005	0	0.005			
Iron (Fe)	mg/L		1	1	0.05	0.05	0	0.05			
Lead (Pb)	mg/L		1	1	0.005	0.005	0	0.005			
Manganese (Mn)	mg/L		1	1	0.04	0.04	0	0.04			
Mercury (Hg)	mg/L		1	1	0.00005	0.00005	0	0.00005			
Nitrate + Nitrite (oxidised Nitrogen)	mg/L		1	1	1	1	1	1			
Nitrogen-Ammonia	mg/L		1	1	0.2	0.2	0	0.2			
Organochlorine Pesticides	ug/L		1	1	0.1	0.1	0	0.1			
Phenols	mg/L		1	1	0.05	0.05	0	0.05			
Polycyclic Aromatic Hydrocarbons	ug/L		1	1	2.5	2.5	3	2.5			
Selenium (Se)	mg/L		1	1	0.005	0.005	0	0.005			
Total Dissolved Solids	mg/L		1	1	1050	1050	1050	1050			
Total Organic Carbon	mg/L		1	1	0.9	0.9	1	0.9			
Total Petroleum Hydrocarbons	ug/L		1	1	50	50	50	50			
Zinc (Zn)	mg/L		1	1	0.005	0.005	0	0.005			
pH	pH		3	3	7.6	7.7	8	7.7	7.6	7.6	

Sampling frequency	
Every month	
Every 3 months	
Every 6 months	