

Benedict Recycling Pty Limited

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

Noise Monitoring Requirements:

Noise monitoring is to be performed on a quarterly basis during operating hours for a duration of 15 minutes in both the Morning-Shoulder and Evening periods at each of the nominated monitoring points listed below.

Location of Monitoring Points:

Monitoring Point ID's:
5 - Simpson Court
9 - Groongal Street
12 - Terry Street

Summary of Results:

Date	Monitoring Point ID	Period	Site Noise Level Construction		EPL Limits, dB		Compliance (Y/N)
			L _{Aeq}	L _{Amax}	L _{Aeq}	L _{Amax}	
8/03/2019	5	Day	I/A	N/A	47 (Day) / 39 (Night)	50 (Night)	Y
		Night	I/A	I/A			Y
	9	Day	I/A	N/A	48 (Day) / 40 (Night)	52 (Night)	Y
		Night	I/A	I/A			Y
	12	Day	I/A	N/A	48 (Day) / 42 (Night)	52 (Night)	Y
		Night	I/A	I/A			Y

Notes:

I/A Inaudible

N/A Not Applicable

**** Benedict does not currently operate during the evening period and therefore, noise monitoring was conducted during the night time and day time periods only.**

Benedict Recycling Pty Limited

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

Noise Monitoring Requirements:

Noise monitoring is to be performed on a quarterly basis during operating hours for a duration of 15 minutes in both the Morning-Shoulder and Evening periods at each of the nominated monitoring points listed below.

Location of Monitoring Points:

Monitoring Point ID's:
5 - Simpson Court
9 - Groongal Street
12 - Terry Street

Summary of Results:

Date	Monitoring Point ID	Period	Site Noise Level Construction		EPL Limits, dB		Compliance (Y/N)
			L _{Aeq}	L _{Amax}	L _{Aeq}	L _{Amax}	
2/05/2019	5	Day	I/A	N/A	47 (Day) / 39 (Night)	50 (Night)	Y
		Night	I/A	I/A			Y
	9	Day	I/A	N/A	48 (Day) / 40 (Night)	52 (Night)	Y
		Night	I/A	I/A			Y
	12	Day	I/A	N/A	48 (Day) / 42 (Night)	52 (Night)	Y
		Night	I/A	I/A			Y

Notes:

I/A Inaudible

N/A Not Applicable

**** Benedict does not currently operate during the evening period and therefore, noise monitoring was conducted during the night time and day time periods only.**

Benedict Recycling Pty Limited

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

Noise Monitoring Requirements:

Noise monitoring is to be performed on a quarterly basis during operating hours for a duration of 15 minutes in both the Morning-Shoulder and Evening periods at each of the nominated monitoring points listed below.

Location of Monitoring Points:

Monitoring Point ID's:
5 - Simpson Court
9 - Groongal Street
12 - Terry Street

Summary of Results:

Date	Monitoring Point ID	Period	Site Noise Level Construction		EPL Limits, dB		Compliance (Y/N)
			L _{Aeq}	L _{Amax}	L _{Aeq}	L _{Amax}	
6/09/2019	5	Day	I/A	N/A	47 (Day) / 39 (Night)	50 (Night)	Y
		Night	I/A	I/A			Y
	9	Day	I/A	N/A	48 (Day) / 40 (Night)	52 (Night)	Y
		Night	I/A	I/A			Y
	12	Day	I/A	N/A	48 (Day) / 42 (Night)	52 (Night)	Y
		Night	I/A	I/A			Y

Notes:

I/A Inaudible

**** Benedict does not currently operate during the evening period and therefore, noise monitoring was conducted during the night time and day time periods only.**

Benedict Recycling Pty Limited

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

Noise Monitoring Requirements:

Noise monitoring is to be performed on a quarterly basis during operating hours for a duration of 15 minutes in both the Morning-Shoulder and Evening periods at each of the nominated monitoring points listed below.

Location of Monitoring Points:

Monitoring Point ID's:
5 - Simpson Court
9 - Groongal Street
12 - Terry Street

Summary of Results:

Date	Monitoring Point ID	Period	Site Noise Level Construction		EPL Limits, dB		Compliance (Y/N)
			L _{Aeq}	L _{Amax}	L _{Aeq}	L _{Amax}	
24/10/2019	5	Day	IA	IA	47 (Day) / 39 (Night)	50 (Night)	Y
		Night	IA	N/A			Y
	9	Day	IA	IA	48 (Day) / 40 (Night)	52 (Night)	Y
		Night	IA	N/A			Y
	12	Day	IA	IA	48 (Day) / 42 (Night)	52 (Night)	Y
		Night	IA	N/A			Y

Notes:

IA Inaudible

**** Benedict does not currently operate during the evening period and therefore, noise monitoring was conducted during the night time and day time periods only.**