

## Benedict Recycling Pty Limited

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

### Noise Monitoring Requirements:

Noise monitoring is to be performed on a quarterly basis during operating hours for a duration of 15 minutes in both the Morning-Shoulder and Evening periods at each of the nominated monitoring points listed below.

### Location of Monitoring Points:

**Monitoring Point ID's:**  
5 - Simpson Court  
9 - Groongal Street  
12 - Terry Street

### Summary of Results:

Date	Monitoring Point ID	Period	Site Noise Level Construction		EPL Limits, dB		Compliance (Y/N)
			L <sub>Aeq</sub>	L <sub>Amax</sub>	L <sub>Aeq</sub>	L <sub>Amax</sub>	
16/03/2021	5	Day	I/A	N/A	47 (Day) / 39 (Night)	50 (Night)	Y
		Night	I/A	I/A			Y
	9	Day	I/A	N/A	48 (Day) / 40 (Night)	52 (Night)	Y
		Night	I/A	I/A			Y
	12	Day	I/A	N/A	48 (Day) / 42 (Night)	52 (Night)	Y
		Night	I/A	I/A			Y

#### Notes:

**I/A** Inaudible

**N/A** Not Applicable

**\*\* Benedict does not currently operate during the evening period and therefore, noise monitoring was conducted during the night time and day time periods only.**

**Benedict Recycling Pty Limited**  
Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304  
EPA Licence No: 20771

**Noise Monitoring Requirements:**

Noise monitoring is to be performed on a quarterly basis during operating hours for a duration of 15 minutes in both the Morning-Shoulder and Evening periods at each of the nominated monitoring points listed below.

**Location of Monitoring Points:**

**Monitoring Point ID's:**      5 - Simpson Court  
   9 - Groongal Street  
   12 - Terry Street

**Summary of Results:**

Date	Monitoring Point ID	Period	Site Noise Level Construction		EPL Limits, dB		Compliance (Y/N)
			L <sub>Aeq</sub>	L <sub>Amax</sub>	L <sub>Aeq</sub>	L <sub>Amax</sub>	
19/05/2021	5	Day	I/A	N/A	47 (Day) / 39 (Night)	50 (Night)	Y
		Night	I/A	I/A			Y
	9	Day	I/A	N/A	48 (Day) / 40 (Night)	52 (Night)	Y
		Night	I/A	I/A			Y
	12	Day	I/A	N/A	48 (Day) / 42 (Night)	52 (Night)	Y
		Night	I/A	I/A			Y

**Notes:**  
I/A Inaudible  
N/A Not Applicable  
\*\* Benedict does not currently operate during the evening period and therefore, noise monitoring was conducted during the night time and day time periods only.

## Benedict Recycling Pty Limited

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

### Noise Monitoring Requirements:

Noise monitoring is to be performed on a quarterly basis during operating hours for a duration of 15 minutes in both the Morning-Shoulder and Evening periods at each of the nominated monitoring points listed below.

### Location of Monitoring Points:

**Monitoring Point ID's:**  
5 - Simpson Court  
9 - Groongal Street  
12 - Terry Street

### Summary of Results:

Date	Monitoring Point ID	Period	Site Noise Level Construction		EPL Limits, dB		Compliance (Y/N)
			L <sub>Aeq</sub>	L <sub>Amax</sub>	L <sub>Aeq</sub>	L <sub>Amax</sub>	
13/08/2021	5	Day	I/A	NA	47 (Day) / 39 (Night)	50 (Night)	Y
		Night	I/A	I/A			Y
	9	Day	I/A	NA	48 (Day) / 40 (Night)	52 (Night)	Y
		Night	I/A	I/A			Y
	12	Day	I/A	NA	48 (Day) / 42 (Night)	52 (Night)	Y
		Night	I/A	I/A			Y

#### Notes:

**I/A** Inaudible

**N/A** Not Applicable

**\*\* Benedict does not currently operate during the evening period and therefore, noise monitoring was conducted during the night time and day time periods only.**

## Benedict Recycling Pty Limited

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

### Noise Monitoring Requirements:

Noise monitoring is to be performed on a quarterly basis during operating hours for a duration of 15 minutes in both the Morning-Shoulder and Evening periods at each of the nominated monitoring points listed below.

### Location of Monitoring Points:

**Monitoring Point ID's:**  
5 - Simpson Court  
9 - Groongal Street  
12 - Terry Street

### Summary of Results:

Date	Monitoring Point ID	Period	Site Noise Level Construction		EPL Limits, dB		Compliance (Y/N)
			L <sub>Aeq</sub>	L <sub>Amax</sub>	L <sub>Aeq</sub>	L <sub>Amax</sub>	
15/12/2021	5	Day	I/A	N/A	47 (Day) / 39 (Night)	50 (Night)	Y
		Night	I/A	I/A			Y
	9	Day	I/A	N/A	48 (Day) / 40 (Night)	52 (Night)	Y
		Night	I/A	I/A			Y
	12	Day	I/A	N/A	48 (Day) / 42 (Night)	52 (Night)	Y
		Night	I/A	I/A			Y

#### Notes:

**I/A** Inaudible

**N/A** Not Applicable

**\*\* Benedict does not currently operate during the evening period and therefore, noise monitoring was conducted during the night time and day time periods only.**