

# Benedict Recycling Pty Limited

Jan-17

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

## Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge event.

## Location of Monitoring Points:

Monitoring Point 1: Valve controlled outlet chamber and pipeline located within sedimentation pond in north-western corner of the site (see Figure 2.1 in DOC15/0291).

## Summary of Results:

### Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
Oil and Grease	mg/L	10	-	-	-
pH	pH	6.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-

## Individual Results:

### Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
<i>No discharge events during period</i>					

# Benedict Recycling Pty Limited

Feb-17

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

## Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge event.

## Location of Monitoring Points:

Monitoring Point 1: Valve controlled outlet chamber and pipeline located within sedimentation pond in north-western corner of the site (see Figure 2.1 in DOC15/0291).

## Summary of Results:

### Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
Oil and Grease	mg/L	10	-	-	-
pH	pH	6.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-

## Individual Results:

### Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
<i>No discharge events during period</i>					

# Benedict Recycling Pty Limited

Mar-17

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

## Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge event.

## Location of Monitoring Points:

Monitoring Point 1: Valve controlled outlet chamber and pipeline located within sedimentation pond in north-western corner of the site (see Figure 2.1 in DOC15/0291).

## Summary of Results:

### Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
Oil and Grease	mg/L	10	-	-	-
pH	pH	6.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-

## Individual Results:

### Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
<i>No discharge events during period</i>					

# Benedict Recycling Pty Limited

Apr-17

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

## Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge event.

## Location of Monitoring Points:

Monitoring Point 1: Valve controlled outlet chamber and pipeline located within sedimentation pond in north-western corner of the site (see Figure 2.1 in DOC15/0291).

## Summary of Results:

### Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
Oil and Grease	mg/L	10	-	-	-
pH	pH	6.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-

## Individual Results:

### Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
<i>No discharge events during period</i>					

# Benedict Recycling Pty Limited

May-17

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

## Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge event.

## Location of Monitoring Points:

Monitoring Point 1: Valve controlled outlet chamber and pipeline located within sedimentation pond in north-western corner of the site (see Figure 2.1 in DOC15/0291).

## Summary of Results:

### Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
Oil and Grease	mg/L	10	-	-	-
pH	pH	6.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-

## Individual Results:

### Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
<i>No discharge events during period</i>					

# Benedict Recycling Pty Limited

Jun-17

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

## Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge event.

## Location of Monitoring Points:

Monitoring Point 1: Valve controlled outlet chamber and pipeline located within sedimentation pond in north-western corner of the site (see Figure 2.1 in DOC15/0291).

## Summary of Results:

### Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
Oil and Grease	mg/L	10	-	-	-
pH	pH	6.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-

## Individual Results:

### Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
<i>No discharge events during period</i>					

# Benedict Recycling Pty Limited

Jul-17

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

## Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge event.

## Location of Monitoring Points:

Monitoring Point 1: Valve controlled outlet chamber and pipeline located within sedimentation pond in north-western corner of the site (see Figure 2.1 in DOC15/0291).

## Summary of Results:

### Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
Oil and Grease	mg/L	10	-	-	-
pH	pH	6.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-

## Individual Results:

### Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
<i>No discharge events during period</i>					

# Benedict Recycling Pty Limited

Aug-17

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

## Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge event.

## Location of Monitoring Points:

Monitoring Point 1: Valve controlled outlet chamber and pipeline located within sedimentation pond in north-western corner of the site (see Figure 2.1 in DOC15/0291).

## Summary of Results:

### Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
Oil and Grease	mg/L	10	-	-	-
pH	pH	6.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-

## Individual Results:

### Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
<i>No discharge events during period</i>					



# Benedict Recycling Pty Limited

Sep-17

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

## Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge event.

## Location of Monitoring Points:

Monitoring Point 1: Valve controlled outlet chamber and pipeline located within sedimentation pond in north-western corner of the site (see Figure 2.1 in DOC15/0291).

## Summary of Results:

### Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
Oil and Grease	mg/L	10	-	-	-
pH	pH	6.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-

## Individual Results:

### Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
<i>No discharge events during period</i>					

# Benedict Recycling Pty Limited

Oct-17

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

## Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge event.

## Location of Monitoring Points:

Monitoring Point 1: Valve controlled outlet chamber and pipeline located within sedimentation pond in north-western corner of the site (see Figure 2.1 in DOC15/0291).

## Summary of Results:

### Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
Oil and Grease	mg/L	10	-	-	-
pH	pH	6.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-

## Individual Results:

### Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
<i>No discharge events during period</i>					

# Benedict Recycling Pty Limited

Nov-17

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

## Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge event.

## Location of Monitoring Points:

Monitoring Point 1: Valve controlled outlet chamber and pipeline located within sedimentation pond in north-western corner of the site (see Figure 2.1 in DOC15/0291).

## Summary of Results:

### Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
Oil and Grease	mg/L	10	-	-	-
pH	pH	6.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-

## Individual Results:

### Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
<i>No discharge events during period</i>					

# Benedict Recycling

Dec-17

Newcastle - 1A McIntosh Drive, Mayfield West NSW 2304

EPA Licence No: 20771

## Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge event.

## Location of Monitoring Points:

Monitoring Point 1: Valve controlled outlet chamber and pipeline located within sedimentation pond in north-western corner of the site (see Figure 2.1 in DOC15/0291).

## Summary of Results:

### Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
Oil and Grease	mg/L	10	-	-	-
pH	pH	6.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-

## Individual Results:

### Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
<i>No discharge events during period</i>					