

# POLLUTION INCIDENT RESPONSE MANAGEMENT PLAN (PIRMP)

## MITTAGONG



## PIRMP – Mittagong

---

1 TESTING & REVISION LOG .....	2
2 INTRODUCTION.....	3
3 OBJECTIVES .....	3
4 INITIAL RESPONSE PROCEDURE FLOWCHART .....	5
5 SITE CONTACT/ORGANISATIONAL CHART.....	6
6 DESCRIPTION AND LIKELIHOOD OF ENVIRONMENTAL HAZARDS .....	7
6.1 LIKELIHOOD.....	7
6.2 SITE MAPS.....	7
6.3 WATER CONTAMINATION .....	8
6.3.1 INVENTORY OF POTENTIAL POLLUTANTS.....	9
6.4 NOISE POLLUTION .....	9
6.5 AIR POLLUTION .....	9
6.6 FIRE POTENTIAL .....	10
6.6.1 INVENTORY OF FUELS AND COMBUSTIBLES.....	10
7 PRE-EMPTIVE ACTIONS TO MITIGATE ENVIRONMENTAL HAZARDS.....	10
7.1 WATER CONTAMINATION MITIGATION STRATEGIES.....	10
7.2 NOISE POLLUTION MITIGATION STRATEGIES.....	10
7.3 AIR POLLUTION MITIGATION STRATEGIES .....	11
7.4 FIRE MITIGATION STRATEGIES.....	11
8 COMMUNICATING WITH NEIGHBOURS AND LOCAL COMMUNITY .....	12
9 STAFF TRAINING .....	12
10 TESTING AND REVIEW OF PIRMP .....	13
APPENDIX A .....	14
APPENDIX A .....	15
APPENDIX B .....	16
APPENDIX C .....	17
APPENDIX C .....	18
APPENDIX C .....	19
APPENDIX D .....	20

## PIRMP – Mittagong

### 1 TESTING & REVISION LOG

<b>PIRMP Testing Log</b>			
<b>Date Tested</b>	<b>Method of Testing (Desktop or practical drill)</b>	<b>Tested by</b>	<b>Position</b>
14/02/2014	Desktop	Geoff Johnston	Quarry Manager
19/02/2015	Desktop	Geoff Johnston	Quarry Manager
05/12/2016	Desktop	Geoff Johnston	Quarry Manager
13/12/2017	Desktop	Geoff Johnston	Quarry Manager
13/06/2018	Desktop	Geoff Johnston	Quarry Manager
27/08/2019	Desktop	Geoff Johnston	Quarry Manager
21/09/2020	Desktop	Geoff Johnston	Quarry Manager
21/09/2021	Desktop	Geoff Johnston	Quarry Manager
29/08/2022	Desktop	Paul Holz	Quarry Manager
28/06/2023	Desktop	Paul Holz	Quarry Manager
28/06/2024	Desktop	Paul Holz	Quarry Manager
27/06/2025	Desktop	Paul Holz	Quarry Manager

<b>Environmental Management Plan Revision Log</b>				
<b>Rev No</b>	<b>Date</b>	<b>Revision Details</b>	<b>Author</b>	<b>Reviewer</b>
01	20/02/2014	Updated	David White	David White
02	17/02/2015	Updated	David White	Mark Hutcheson
03	14/12/2016	Updated	David White	Mark Hutcheson
04	25/01/2017	Draft new document	Mark Hutcheson	Geoff Johnston
05	09/03/2017	Amend following EPA PIRMP Review 19/01/2017	Mark Hutcheson	Geoff Johnston
06	13/06/2018	Updated organisational chart	Mark Hutcheson	Geoff Johnston
07	27/08/2019	Updated organisational chart	Alycia Campbell	Geoff Johnston
08	21/09/2020	Review Document	Alycia Campbell	Geoff Johnston
09	21/09/2021	Review Document	Alycia Campbell	Geoff Johnston
10	29/08/2022	Annual Review	Alycia O'Brien	Paul Holz
11	9/06/2023	Annual Review	Ewen McKenzie	Paul Holz
12	28/06/2024	Annual Review	Alycia O'Brien	Paul Holz
13	27/06/2025	Annual Review	Alycia O'Brien	Paul Holz

## PIRMP – Mittagong

---

### 2 INTRODUCTION

This Pollution Incident Response Management Plan (PIRMP) has been developed in accordance with the requirements in Part 5.7A of the Protection of the Environment Operations Act 1997 (the POEO Act) and the POEO Regulations.

The elements of the plan that relate to risk and hazard identification as well as the development, maintenance and review of protocols and controls have been addressed by the Operations Manager and WHS Advisor. These PIRMP elements are now embedded in the company's Quality, Environmental and Safety Management systems.

Benedict's system of consultation, being predominantly site toolbox meetings, is the principal forum to implement further practical refinement, testing and clarification of these plans in response to the requirement of the legislation.

One of the most important elements introduced by the legislation is the requirement to report pollution incidents to appropriate authorities and the community. This legislation was enacted in response to Orica chemical plant incidents at Kooragang Island where chemical and gas leaks occurred in 2011 and impacted residential areas.

### 3 OBJECTIVES

The objectives of this plan are to:

- Ensure comprehensive and timely communication about a pollution incident to:
  - Staff at the premises
  - Environment Protection Authority (EPA)
  - Local council
  - NSW Ministry of Health
  - WorkCover NSW
  - Fire and Rescue NSW
  - People outside the facility who may be affected by the impacts of the pollution incident
- Minimise and control the risk of a pollution incident at the facility by requiring identification of risks and the development of planned actions to minimise and manage those risks
- Ensure that the plan is properly implemented by trained staff, identifying persons responsible, or implementing and ensuring that the plan is regularly tested for accuracy, currency and suitability.

The definition of 'pollution incident' is:

*Pollution incident* means an incident or set of circumstances during or as a consequence of which there is or is likely to be a leak, spill or other escape or deposit of a substance, as a result of which pollution has occurred, is occurring or is likely to occur. It includes an incident or set of circumstances in which a substance has been placed or disposed of on premises, but it does not include an incident or set of circumstances involving only the emission of any noise.

A pollution incident is required to be notified if there is a risk of 'material harm to the environment', which is defined in section 147 of the POEO Act as:

- a) harm to the environment is material if:
  - (i) it involves actual or potential harm to the health or safety of human beings or to ecosystems that is not trivial, or
  - (ii) it results in actual or potential loss or property damage of an amount, or amounts in aggregate, exceeding \$10,000 (or such other amount as is prescribed by the regulations), and
- b) loss includes the reasonable costs and expenses that would be incurred in taking all reasonable and practicable measures to prevent, mitigate or make good harm to the environment.

## PIRMP – Mittagong

### So what needs to be reported?

Based on the legislative definitions, staff are advised, the following pollution incidents must be reported:

A leak, spill, or emission (say gas or fumes from a fire) which is not trivial (i.e. not of small value or importance – must be over \$10,000) and involves actual potential harm to the environment or human health.


In relation to our operations, these pollution incidents are most likely to result from large fuel spills or acts of vandalism/arson to our equipment. If there is doubt, contact your site manager immediately. Immediately means immediately, promptly and without delay.

These examples are provided as a guide:

Scenario	Likely Status
Jerry can of fuel spilling	Not reportable
Jerry can of fuel spilling and starting large fire	Reportable – assuming that fire causes damage in excess of \$10,000 e.g. destroys a piece of plant
5,000 litre diesel fuel spill from storage tank that is contained within safety	Not reportable provided no discharge from bund and spill is contained
5,000 litre diesel fuel spill from storage tank that is NOT contained within safety bund	Reportable, damage is in excess of \$10,000 and clean-up costs need to also be included.
Vehicle hydraulic hose leak or failure resulting in small spill	Not reportable provided there is no escape to waterways

# PIRMP – Mittagong

## 4 INITIAL RESPONSE PROCEDURE FLOWCHART



# PIRMP – Mittagong




## 5 SITE CONTACT/ORGANISATIONAL CHART

Form 89.20

### Mittagong Organisational Chart & Emergency Contacts

Wombeyan Caves Rd, High Range, NSW 2575 T. (02) 4878 5159  
 GPS -34.377587,150.309248



## PIRMP – Mittagong

### 6 DESCRIPTION AND LIKELIHOOD OF ENVIRONMENTAL HAZARDS

Identifying the key environmental management issues relating to the operation of the facility is critical to the preservation of human health and the protection of the environment.

There are four (4) key sources of potential environmental hazards where risk associated with activities being undertaken at the premises must be managed (see below):

- Water Contamination
- Noise Pollution
- Air Pollution
- Fire potential

#### 6.1 LIKELIHOOD

Site personnel must be aware there are certain circumstances or events that could or would increase the likelihood of a hazard occurring. When the following conditions arise extra precautions may be necessary on site.

##### Water contamination:

- Periods of prolonged wet weather may increase the likelihood of water contamination of the surrounding local amenities

##### Air Pollution/Dust emissions:

- Hot, dry, windy conditions
- Disturbance of fine, dry material
- High levels of traffic on unsealed roads or dusty roads with no dust suppression

##### Fire Potential:

- Hot, prolonged dry, windy conditions with low humidity
- Stockpiles of recyclable waste may spontaneously combust
- Hot works on site for maintenance activities


The potential environmental hazards above have been risk assessed and are included on the site's Environmental Risk Register which is attached in Appendix A. Figure 1 below shows the site's proximity to sensitive receivers.

#### 6.2 SITE MAPS

It is a requirement of the PIRMP to contain detailed and up to date maps and diagrams which assist proper planning and emergency response.

The PIRMP must include a map (or set of maps) showing the:

- Location of the premises	See Figure 1: Site Location and Proximity to Sensitive Receivers
- Surrounding area likely to be affected by a pollution incident	See Figure 1: Site Location and Proximity to Sensitive Receivers
- Location of potential pollutants on the premises (including underground tanks)	See Appendix B – Bulk fuels and combustibles location map and; Appendix C – Emergency evacuation maps detailing the location of safety equipment, pollution control and pollution response equipment on the premises
- Location of any stormwater drains on the premises	See Figure 2: Site Stormwater Directional Flows

**PIRMP – Mittagong**

**Figure 1: Site Location and Proximity to Sensitive Receivers**

**6.3 WATER CONTAMINATION**

The primary objective of water contamination management at the premises is to ensure that stormwater gathered by the facility shall not adversely affect the site or its surrounds (local amenity).

Stormwater gathered on site shall be managed to ensure it is not contaminated by pollutants or leachate and is free of sediment. The storage of chemicals/hydrocarbons at the premises is the main risk in relation to water contamination.

Figure 2 below illustrates the general stormwater flows on site.

# PIRMP – Mittagong




Figure 2: Site Surface Stormwater Directional Flows

### 6.3.1 INVENTORY OF POTENTIAL POLLUTANTS

Table 1 below details chemicals/hydrocarbons with the potential to pollutant which are stored or held at the premises together with their storage capacities:

Pollutant	Maximum Quantity	Storage Method	Location
Diesel Fuel	38,000 litres	Aboveground Bunded tanks	South of fixed plant
Engine Oil	<3000 litres	Aboveground Bunded tanks	Workshop area
Hydraulic Oil	<500 litres		
Mixed Waste	<300 litres	Individual tanks	Workshop area

Table 1: Potential Water Pollutants

Appendix B shows the storage locations of the diesel fuel and oils/lubricants throughout the site.

### 6.4 NOISE POLLUTION

The aim of noise pollution management at the premises is to ensure noise generated by the facility does not adversely affect the site or its surrounds. Potential sources of noise pollution include:

- Operation of mobile plant equipment
- Operation of fixed plant equipment
- Maintenance activities

### 6.5 AIR POLLUTION

Air pollution management initiatives at the premises are designed to ensure air quality (dust and odour) generated by the facility does not adversely affect the site or its surrounds. Potential sources of air borne dust include product stockpiles, site roadways, processing plant and loading/unloading of trucks.

There are no sources of potential odour on site.

## PIRMP – Mittagong

### 6.6 FIRE POTENTIAL

Fire management initiatives at the premises are designed to minimise the risk of fire damage to the facility and its surrounds. The facility is regularly assessed for fire risk levels and preventative/minimisation activities implemented as required.

#### 6.6.1 INVENTORY OF FUELS AND COMBUSTIBLES

Table 2 below list details of the fuels and flammables held on the premises and their storage capacities. The location of these fuels/combustibles is shown in Appendix B:

Fuel/Combustible	Maximum Quantity	Storage Method	Location
Diesel Fuel	10,000 litres	Aboveground Bunded tank	South of fixed plant
LPG	6,000 litres	Bulk Aboveground tank	Workshop area
Oxy-Acetylene	<300 litres	- Oxygen tanks - Acetylene tanks - CO <sub>2</sub> /Argon tanks	South western corner of site and workshop

Table 2: Fuels and Combustibles Inventory

### 7 PRE-EMPTIVE ACTIONS TO MITIGATE ENVIRONMENTAL HAZARDS

There are four (4) key sources of potential environmental hazards where risk associated with activities being undertaken at the premises must be managed (see below):

- Water Contamination
- Noise Pollution
- Air Pollution
- Fire potential

#### 7.1 WATER CONTAMINATION MITIGATION STRATEGIES

All hydrocarbon (fuel) sources that could potentially contaminate the waterways are kept in bunded areas to prevent spillages from reaching discharge points. Bunded areas are inspected regularly to ensure they are free of debris, spills or water to enable maximum capacity to capture any potential spills.

The potential for spills will be minimised by:

- Re-fuelling operations of plant to be undertaken by suitably trained personnel
- Provision of spill kits and training of personnel in their use

Spill containment kits are maintained in place at each bunded area and at other locations on premises where the potential for chemical spills exists. Site stormwater is directed to sedimentation basins/wetlands at various locations throughout the site to enable the settlement of any suspended solids. Regular maintenance of all surface water structures including catch drains is carried out to ensure the capacity to capture sedimentation is maximised.

#### 7.2 NOISE POLLUTION MITIGATION STRATEGIES

Noise generated at the premises will be controlled by:

- Limiting the hours and types of operation to that which is approved
- Using stockpiles placed between machinery and boundaries as noise barriers
- Ensuring that plant and equipment are operated such that the noise centre is no higher than the solid boundary fences or stockpiles
- Limiting machinery used to that which meets noise generation guidelines for this type of operation
- The correct operation and maintenance of machinery

## PIRMP – Mittagong

### 7.3 AIR POLLUTION MITIGATION STRATEGIES

The site is monitored for dust generation particularly during busy or windy (dry) days and control activities implemented as required. Dust generated at the premises will be controlled by:

- Restricting stockpile heights in line with licence requirements to reduce potential dust generation
- Ceasing or reducing loading and unloading of stockpiles during strong wind conditions
- Spraying materials during the loading/unloading processes to suppress dust
- Ceasing or reducing processing activities during strong wind conditions
- Spraying of materials during processing activities

A network of sprinklers is installed on site which is activated as necessary throughout the working day, to wet down main section of haul road in an effort to minimise the generation of air borne dust on site. A water cart is also utilised to wet down roadways and stockpiles as required.

Figure 3 below shows the location of the network of dust suppression infrastructure on site.



Figure 3 – Dust Suppression Sprinkler Location

### 7.4 FIRE MITIGATION STRATEGIES

The potential for fires will be minimised by:

- Maintaining machinery/equipment in good working order to minimise the risk of sparks
- Ensuring any welding or fabrication works are carried out by competent, trained individuals

Fire fighting shall be undertaken in association with the NSW Fire Brigade. Small fires are to be extinguished utilising the fire hoses and sprinkler systems provided on site in the first instance by staff that are competent and confident to do so.

Fire fighting capability will be maximised by:

- Maintaining appropriate fire fighting equipment/facilities in good working order
- Ensuring adequate water supply for fire fighting
- Train personnel in basic fire fighting and emergency response protocols

Appendices C show the location of fire fighting equipment/devices throughout the premises.

## PIRMP – Mittagong

### 8 COMMUNICATING WITH NEIGHBOURS AND LOCAL COMMUNITY

In the event of an environmental incident occurring at the site, impacts on the neighbouring business and local community will be variable and depend on location, volume of spills or other factors such as wind direction and velocity.

If an environmental incident on site is likely to impact neighbouring businesses or the local community, surrounding neighbours will usually be contacted face to face or through information left at the place of residence by a Mittagong Sands representative to notify them of the situation. This notification should include any possible impacts to the neighbour as well as the procedures that have been put in place to rectify the situation.

Communication methods will be used on a case by case basis, but in all situations Mittagong Sands will attempt to provide early warnings to those neighbours likely to be directly affected. Early warnings would typically include details of the nature of the incident and how those likely to be affected can best prepare and respond to the incident. Ongoing communication with the neighbouring businesses/residents will be maintained until such time as the incident is rectified.

Reports staff are to summarise the situation with reference to the 3 Ps.

<b>Problem</b>	What is the cause of the problem, what is the size of the problem, is the problem escalating or being controlled
<b>People</b>	How many people are impacted/ involved
<b>Position</b>	Where exactly is the problem – the address and GPS co-ordinates are essential. Are 4WDs required for access?

### 9 STAFF TRAINING

All staff undertake a company induction upon commencement of employment and a site-specific induction relevant to their particular place of work (site). In addition to inductions, all persons (employees, contractors and visitors) will receive additional training in some or all of the following as relevant to their function on site:

- Emergency exits and evacuation routes
- Emergency Assembly area
- Emergency lighting and exit signs
- Emergency rescue
- Smoke control and smoke detectors
- Fire fighting devices (hydrants, hose reels and extinguishers)
- First aid
- Shutting down plant and processes
- Hazardous substances
- Traffic flows/management plan
- Evacuation drills and debriefing

Individual staff training requirements are discussed during regular tool box meetings.

Basic environmental training is provided to all site employees which references the purpose, use and location of this PIRMP document. This training is scheduled to occur annually upon review and updating of the PIRMP document and more frequently as necessary (e.g on boarding of a new employee).

Training material and records of training (refer Training Record Sheet template in Appendix D) can be found filed in the Site Environmental Manual.

Emergency Response Plan (Form 291) for this site can be found on BeneHub (internal intranet), together with records of Emergency Drills conducted.

## **PIRMP – Mittagong**

---

### **10 TESTING AND REVIEW OF PIRMP**

This PIRMP is scheduled for routine testing and reviewing on an annual basis.

In the event that a pollution incident occurs, this PIRMP must be tested and assessed for capability and effectiveness within one month of the pollution incident occurring.

The usual method of testing this PIRMP is to undertake a desktop simulation and follow-up with a briefing of outcomes at site tool box meetings where findings and recommendations are considered. Alternatively, an environmental incident scenario may form the basis for a site evacuation drill (practical drill) whereby the PIRMP can be tested and its effectiveness/adequacy reviewed.

# PIRMP - Mittagong



## APPENDIX A

### Environmental Risk Register (Page 1)

Environmental Risk Register - Mittagong Quarry											
BENEDICT											
Completed by: M. Hutchison		Date: 8/02/2018									
Approved by: G. Johnston		Review Date: 8/02/2018									
Environmental Hazard	Description of Hazard/Incident	Likelihood	Consequence	Initial Risk Rating	Impact on Neighbours	Control Measures/ Corrective Action	Specific PPE / Equipment / Devices available	Likelihood	Consequence	Residual Risk Rating	Responsible Person
Soil Contamination Incident - Diesel Fuel	Catastrophic failure of diesel fuel storage container/equipment resulting in major spill. e.g. punctured tank, valve failure, tank overfilled.	D 2		Medium	N/A	- Fuel storage tank is adequately bunded. - Traffic limitations in Fuel storage tank area of site. - Vehicles filling/refuelling approach tank forward facing parking adjacent to tank. - Regular maintenance checks of valves. - Filling/refuelling procedures in place.	- Tank bunding - Signage	E 2		Low	Geoff Johnston
	Diesel spill outside of bunded area during refilling/fueling activities.	C 4		Low	N/A	- Spill kit in place.	- Spill Kit	D 4		Very Low	Geoff Johnston
	Diesel spill outside of bunded area from mobile plant fuel tank failure.	C 4		Low	N/A	- Site spill kit can be used or else sand stockpiles nearby which can be used to contain the spill in the short term.	- Spill Kit	D 4		Very Low	Geoff Johnston
	Diesel spill within bunded area due to leaking open valve.	C 5		Very Low	N/A	- Spill kit in place. - Routine maintenance inspection of pipework/valves.	- Spill Kit	D 5		Very Low	Geoff Johnston
Soil Contamination Incident - Oils	Catastrophic failure of oil storage container/equipment resulting in major spill. e.g. punctured tank, valve failure, tank overfilled.	D 3		Low	N/A	- Oil storage containers are adequately bunded. - Traffic limitations in oil storage area of site (workshop). - Regular maintenance checks of valves.	- Pallet bunding - Signage	E 3		Low	Geoff Johnston
	Oil spill outside of bunded area during delivery/decantering activities.	C 4		Low	N/A	- Spill kit in place.	- Spill Kit	D 4		Very Low	Geoff Johnston
	Oil spill outside of bunded area from mobile plant, hydraulic hose failure.	C 4		Low	N/A	- Site spill kit or else sand stockpiles nearby which can be used to contain the spill in the short term.	- Spill Kit	D 4		Very Low	Geoff Johnston
	Oil spill within bunded area during delivery/decantering activities.	C 5		Very Low	N/A	- Spill kit in place. - Routine maintenance inspection of pipework/valves.	- Spill Kit	D 5		Very Low	Geoff Johnston
Noise Pollution	Excessive noise generated by fixed plant and machinery. e.g. crushing plant, wash plant	D 4		Very Low	Yes	- Limiting the hours and types of operation to that which is approved. - Using stockpiles placed between machinery and boundaries as noise barriers. - Limiting machinery used to that which meets noise generation guidelines for this type of operation. - The correct operation and maintenance of machinery.	- Hearing protection for operators	D 5		Very Low	Geoff Johnston
	Excessive noise generated by mobile plant and machinery. e.g. front-end loader, excavator	D 4		Very Low	Yes	- Limiting the hours and types of operation to that which is approved. - The correct operation and maintenance of machinery.	- Soundproofing in cabins of machinery - Mobile plant fitted with 'squashed duck' reversing alarms.	D 5		Very Low	Geoff Johnston
	Excessive noise generated by maintenance activities. e.g. fabrication activities in workshop, servicing of mobile plant and equipment.	C 4		Low	Yes	- Conduct maintenance activities only within approved hours.	- Hearing protection.	D 5		Very Low	Geoff Johnston

# PIRMP – Mittagong



## APPENDIX A

### Environmental Risk Register (Page 2)

Environmental Hazard	Description of Hazard/Incident	Consequence	Initial Risk Rating	Impact on Neighbours	Control Measures/ Corrective Action	Specific PPE / Equipment / Devices available	Residual Risk	Responsible Person
Air Pollution	Excessive windblown dust from product stockpiles.	C 4	Low	Yes	- Restricting stockpile heights as per EPL conditions to reduce the potential for wind blown dust generation - Work stockpiles in concentrated areas allowing for the stockpile to work as a wind break - Ceasing or reducing loading and unloading of stockpiles during strong wind conditions - Use water cart/sprinkler system and hoses to dampen dusty stockpiles.	- Eye protection.	D 4	Geoff Johnson
	Excessive windblown dust from extraction act vites.	C 3	Medium	Yes	- Ceasing or reducing processing activities during strong wind conditions - Wet down area using hoses on Water Cart or set-up sprinkler.	- Water cart - Sprinkler system	D 3	Geoff Johnson
	Excessive dust emissions from fixed plant.	C 3	Medium	Yes	- Precondition feed material to establish suitable moisture content - Use hose on water cart or set-up sprinkler at feed hopper.	- Water cart - Sprinkler system	D 3	Geoff Johnson
	Excessive windblown dust from haul roads.	B 3	Medium	Yes	- Traffic to obey site speed limits and traffic management at all times - Use water cart/sprinkler system and hoses to dampen dusty stockpiles - Maintain all dust suppression equipment to be in good working order and operable at all times.	- Fixed sprinkler system. - Water Cart.	D 3	Geoff Johnson
	Diesel fire at fuel tank facility.	E 1	Medium	Yes	- Vehicles to be switched off whilst re-fuelling. - No naked flames smoking in proximity of fuel tank facility. - Staff trained in fire fighting.	- Appropriate safety warning signage. - Fire fighting equipment (extinguishers, hose reels).	E 1	Geoff Johnson
Fire Potential	General fire risk associated with fixed or mobile plant and equipment.	D 1	High	Yes	- Maintaining machinery/equipment in good working order to minimise the risk of sparks.	- Fire fighting equipment (extinguishers, hose reels).	D 2	Geoff Johnson

**Risk Matrix**

PROBABILITY →	A	B	C	D	E
CONSEQUENCE ↓	High 1	High 2	High 3	High 4	High 5
1. Permanent/severe environmental impact	High	High	High	High	High
2. Significant environmental impact	High	Medium	Medium	Medium	Medium
3. Moderate environmental impact	Medium	Medium	Low	Low	Low
4. Minor environmental impact	Medium	Low	Very Low	Very Low	Very Low
5. Low level impact to the environment	Medium	Low	Very Low	Very Low	Very Low

**Risk Assessment Rankings**

High	Consult with your Manager for further review and approval
Medium	Consult with your Supervisor for further review and approval
Low	Complete the risk
Very Low	Complete the risk


**Hierarchy of Controls**

Elimination	Most Effective
Substitution	
Engineering	
Isolation	
Administrative	
PPE	Least Effective

## PIRMP – Mittagong

### APPENDIX B


### Bulk Fuels and Combustibles Location Map



## PIRMP – Mittagong

### APPENDIX C


#### Fire Fighting Equipment Location Map – Electrical Room



## PIRMP – Mittagong

### APPENDIX C


#### Fire Fighting Equipment Location Map – Workshop



## PIRMP – Mittagong

### APPENDIX C

#### Fire Fighting Equipment Location Map – Weighbridge/Lab



# PIRMP – Mittagong

## APPENDIX D

### Site Training Record Sheet

Form 275



### Training Record

<b>Training Scope:</b>	ENVIRONMENTAL AWARENESS TRAINING			
<b>Location:</b>		<b>Date/s:</b>	_/_/	
<b>Trainer:</b>		<b>Duration:</b>	Total Hrs/Mins:	
<b>Principle Areas Covered in Session/s:</b>	NSW Legal Requirements, Environmental Regulations, Benedict Environmental Policy, Benedict Environmental Responsibilities, Environmental Impacts, Examples of Pollution, Benedict Environmental Procedure, Pollution Incident Response Management Plan (P.I.R.M.P)			
<b>Practical Training Provided:</b>	N/A			
<b>Assessment Undertaken:</b>	<b>Form Number:</b>	<b>Title:</b>		
<b>Training Material Reference:</b>	<b>Form Number:</b>	<b>Title:</b> Environmental Awareness Training (Powerpoint presentation)		
<b>Material Provided to Participants:</b>	<b>Form Number:</b>	<b>Title:</b>		
<b>Trainee/s:</b>	<b>Name (Print)</b>	<b>Signature</b>	<b>Name (Print)</b>	<b>Signature</b>
	1.		11.	
	2.		12.	
	3.		13.	
	4.		14.	
	5.		15.	
	6.		16.	
	7.		17.	
	8.		18.	
	9.		19.	
	10.		20.	