

Benedict Recycling Pty Ltd

Jan-25

Smeaton Grange Waste Recycling and transfer facility - 52 Anderson Rd, Smeaton Grange NSW 2567

EPA Licence No: 21328

Water Monitoring Requirements:

M2.1 For each monitoring/discharge point the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in column 1.

Point 1

| Pollutant | Units of Measure | Frequency | Sampling Method |
|-----------|----------------------|---------------------|-----------------|
| pH | pH | Special Frequency 1 | Probe |
| TSS | milligrams per litre | Special Frequency 1 | Grab sample |

NOTE: Special Frequency 1 means less than 24 hours prior to any dewatering of the sediment dam

L2.4 This condition does not apply to overflows from the sediment dam in rainfall events which exceed the adopted design rainfall (i.e. - 13.6mm over 2 days).

Individual Results:

Monitoring Point 1:

| Sample Date | Pollutant | Unit of Measure | 100 Percentile Concentration Limit | Test Result | Exceedance (Y/N) |
|-------------|------------|---------------------|------------------------------------|-----------------------------------|------------------|
| | <i>pH</i> | <i>pH</i> | <i>6.5 - 8.5</i> | No discharge events during period | |
| | <i>TSS</i> | <i>mg per litre</i> | <i>50</i> | No discharge events during period | |

Benedict Recycling Pty Ltd

Feb-25

Smeaton Grange Waste Recycling and transfer facility - 52 Anderson Rd, Smeaton Grange NSW 2567

EPA Licence No: 21328

Water Monitoring Requirements:

M2.1 For each monitoring/discharge point the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in column 1.

Point 1

| Pollutant | Units of Measure | Frequency | Sampling Method |
|-----------|----------------------|---------------------|-----------------|
| pH | pH | Special Frequency 1 | Probe |
| TSS | milligrams per litre | Special Frequency 1 | Grab sample |

NOTE: Special Frequency 1 means less than 24 hours prior to any dewatering of the sediment dam

L2.4 This condition does not apply to overflows from the sediment dam in rainfall events which exceed the adopted design rainfall (i.e. - 13.6mm over 2 days).

Individual Results:

Monitoring Point 1:

| Sample Date | Pollutant | Unit of Measure | 100 Percentile Concentration Limit | Test Result | Exceedance (Y/N) |
|-------------|------------|---------------------|------------------------------------|--|------------------|
| | <i>pH</i> | <i>pH</i> | <i>6.5 - 8.5</i> | <i>No discharge events during period</i> | |
| | <i>TSS</i> | <i>mg per litre</i> | <i>50</i> | <i>No discharge events during period</i> | |

Benedict Recycling Pty Ltd

Mar-25

Smeaton Grange Waste Recycling and transfer facility - 52 Anderson Rd, Smeaton Grange NSW 2567

EPA Licence No: 21328

Water Monitoring Requirements:

M2.1 For each monitoring/discharge point the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in column 1.

Point 1

| Pollutant | Units of Measure | Frequency | Sampling Method |
|-----------|----------------------|---------------------|-----------------|
| pH | pH | Special Frequency 1 | Probe |
| TSS | milligrams per litre | Special Frequency 1 | Grab sample |

NOTE: Special Frequency 1 means less than 24 hours prior to any dewatering of the sediment dam

L2.4 This condition does not apply to overflows from the sediment dam in rainfall events which exceed the adopted design rainfall (i.e. - 13.6mm over 2 days).

Individual Results:

Monitoring Point 1:

| Sample Date | Pollutant | Unit of Measure | 100 Percentile Concentration Limit | Test Result | Exceedance (Y/N) |
|-------------|------------|---------------------|------------------------------------|--|------------------|
| | <i>pH</i> | <i>pH</i> | <i>6.5 - 8.5</i> | <i>No discharge events during period</i> | |
| | <i>TSS</i> | <i>mg per litre</i> | <i>50</i> | <i>No discharge events during period</i> | |

Benedict Recycling Pty Ltd

Apr-25

Smeaton Grange Waste Recycling and transfer facility - 52 Anderson Rd, Smeaton Grange NSW 2567

EPA Licence No: 21328

Water Monitoring Requirements:

M2.1 For each monitoring/discharge point the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in column 1.

Point 1

| Pollutant | Units of Measure | Frequency | Sampling Method |
|-----------|----------------------|---------------------|-----------------|
| pH | pH | Special Frequency 1 | Probe |
| TSS | milligrams per litre | Special Frequency 1 | Grab sample |

NOTE: Special Frequency 1 means less than 24 hours prior to any dewatering of the sediment dam

L2.4 This condition does not apply to overflows from the sediment dam in rainfall events which exceed the adopted design rainfall (i.e. - 13.6mm over 2 days).

Individual Results:

Monitoring Point 1:

| Sample Date | Pollutant | Unit of Measure | 100 Percentile Concentration Limit | Test Result | Exceedance (Y/N) |
|-------------|------------|---------------------|------------------------------------|--|------------------|
| | <i>pH</i> | <i>pH</i> | <i>6.5 - 8.5</i> | <i>No discharge events during period</i> | |
| | <i>TSS</i> | <i>mg per litre</i> | <i>50</i> | <i>No discharge events during period</i> | |