

Benedict Industries Pty Limited
Sandy Point - 14309 Heathcote Road, Menai NSW 2172
EPA Licence No: 1924

Noise Monitoring Requirements:

Noise monitoring is to be performed on an annual basis during operating hours for a duration of 15 minutes in both the Morning-Shoulder and Evening periods at each of the nominated monitoring points listed below.

Location of Monitoring Points:

- EPA Identification No.:**
- 3** - Residential receiver Lot 1 DP 13073113 St Georges Crescent, Sandy Point
 - 4** - Residential receiver Lot 2 DP 12906149 Carinya Road, Picnic Point
 - 5** - Residential receiver Lot 47 DP 7882044 Carinya Road, Picnic Point
 - 6** - Residential receiver Lot1 DP 607076909A Henry Lawson Drive, Picnic Point

Summary of Results:

Date	EPA Identification No	Period	Site Boundary Noise Levels		EPL Limits, dB		Compliance (Y/N)
			L _{Aeq}	L _{Amax}	L _{Aeq}	L _{Amax}	
Morning Day and Evening 12/11/2025 and 13/11/2025	3	Morning-Shoulder	I/A	I/A	40 (Morning-Shoulder)	48 (Morning-Shoulder)	Y
		Day	I/A	I/A	43 (Day)	N/A (Day)	
		Evening	I/A	I/A	40 (Evening)	N/A (Evening)	
	4	Morning-Shoulder	I/A	I/A	39 (Morning-Shoulder)	48 (Morning-Shoulder)	Y
		Day	I/A	I/A	42 (Day)	N/A (Day)	
		Evening	I/A	I/A	37 (Evening)	N/A (Evening)	
	5	Morning-Shoulder	I/A	I/A	42 (Morning-Shoulder)	48 (Morning-Shoulder)	Y
		Day	I/A	I/A	44 (Day)	N/A (Day)	
		Evening	I/A	I/A	40 (Evening)	N/A (Evening)	
	6	Morning-Shoulder	I/A	I/A	39 (Morning-Shoulder)	48 (Morning-Shoulder)	N*
		Day	I/A	I/A	43 (Day)	N/A (Day)	
		Evening	I/A	I/A	38 (Evening)	N/A (Evening)	

Notes:

I/A *Inaudible*

* "With all feasible and reasonable measures adopted, a 1 to 2 dB exceedance is considered by the EPA as negligible in accordance with Section 4.2 of the NPfl (EPA 2017)".