

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	6 - 8.5	0.0	0.0	#DIV/0!
Total Suspended Solids	mg/L	50	0.0	0.0	#DIV/0!
Turbidity	NTU	50	0.0	0.0	#DIV/0!

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	6 - 8.5			
Total Suspended Solids	mg/L	50			
Turbidity	NTU	50			

Individual Results:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	6 - 8.5			
Total Suspended Solids	mg/L	50			
Turbidity	NTU	50			

Individual Results:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	6 - 8.5			
Total Suspended Solids	mg/L	50			
Turbidity	NTU	50			

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					

EPA Licence No: 1924

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1: Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	0.00	0.00	0.00
Total Suspended Solids	mg/L	50	0	0	0
Turbidity	NTU	50	0	0	0

Individual Results:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-
Turbidity	NTU	50	-	-	-

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	#REF!	#REF!	#REF!
Total Suspended Solids	mg/L	50	#REF!	#REF!	#REF!
Turbidity	NTU	50	#REF!	#REF!	#REF!

Individual Results:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit		Exceedance (Y/N)
No discharge events during period					

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	6 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-
Turbidity	NTU	50	-	-	-

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	6 - 8.5	#REF!	#REF!	#REF!
Total Suspended Solids	mg/L	50	#REF!	#REF!	#REF!
Turbidity	NTU	50	#REF!	#REF!	#REF!

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	6 - 8.5	#REF!	#REF!	#REF!
Total Suspended Solids	mg/L	50	#REF!	#REF!	#REF!
Turbidity	NTU	50	#REF!	#REF!	#REF!

Individual Results:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	6 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-
Turbidity	NTU	50	-	-	-

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	6 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-
Turbidity	NTU	50	-	-	-

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					