

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	0.00	0.00	0.00
Total Suspended Solids	mg/L	50	0	0	0
Turbidity	NTU	50	0	0	0

Individual Results:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					

Monitoring Point 1:

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	0.00	0.00	0.00
Total Suspended Solids	mg/L	50	0	0	0
Turbidity	NTU	50	0	0	0

Individual Results:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	0.00	0.00	0.00
Total Suspended Solids	mg/L	50	0	0	0
Turbidity	NTU	50	0	0	0

Individual Results:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	0.00	0.00	0.00
Total Suspended Solids	mg/L	50	0	0	0
Turbidity	NTU	50	0	0	0

Individual Results:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					

Monitoring Point 1:

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	0.00	0.00	0.00
Total Suspended Solids	mg/L	50	0	0	0
Turbidity	NTU	50	0	0	0

Individual Results:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	6.30	6.30	6.30
Total Suspended Solids	mg/L	50	2.00	2.00	2.00
Turbidity	NTU	50	3.90	10.00	5.93

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Results	Exceedance (Y/N)
27/06/2025	pH	pH	6 - 8.5	6.3	N
	TSS	mg/L	50	<2	N
	Turbidity	NTU	50	3.9	N
28/06/2025	pH	pH	6 - 8.5	6.3	N
	TSS	mg/L	50	<2	N
	Turbidity	NTU	50	3.9	N
29/06/2025	pH	pH	6 - 8.5	6.3	N
	TSS	mg/L	50	2.0	N
	Turbidity	NTU	50	10.0	N

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	5.5 - 8.5	4.6	4.7	4.7
Total Suspended Solids	mg/L	50	5.3	5.6	5.5
Turbidity	NTU	50	<2	<2	<2

Individual Results:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Results	Exceedance (Y/N)
21/07/2025	pH	pH	6 - 8.5	4.7	N
	TSS	mg/L	50	5.6	N
	Turbidity	NTU	50	<2	N
22/07/2025	pH	pH	6 - 8.5	4.6	N
	TSS	mg/L	50	5.3	N
	Turbidity	NTU	50	<2	N
30/07/2025	pH	pH	6 - 8.5	4.5	N
	TSS	mg/L	50	6.1	N
	Turbidity	NTU	50	<2	N
31/07/2025	pH	pH	6 - 8.5	4.4	N
	TSS	mg/L	50	6.0	N
	Turbidity	NTU	50	<2	N

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	6 - 8.5	5.2	5.9	5.5
Total Suspended Solids	mg/L	50	6.8	12.0	8.8
Turbidity	NTU	50	2.0	3.0	2.3

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
18/08/2025	pH	pH	6 - 8.5	5.9	N
	TSS	mg/L	50	11.0	N
	Turbidity	NTU	50	<2	N
19/08/2025	pH	pH	6 - 8.5	5.8	N
	TSS	mg/L	50	12.0	N
	Turbidity	NTU	50	3.0	N

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	6 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-
Turbidity	NTU	50	-	-	-

Individual Results:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					

Monitoring Point 1:

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	6 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-
Turbidity	NTU	50	-	-	-

Individual Results:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					

Water Monitoring Requirements:

Grab samples are required to be taken daily during any discharge and tested for pH, total suspended solids and turbidity.

Location of Monitoring Points:

Monitoring Point 1:

Below Basin 3 as identified in map attached to the "Sandy Point Quarry Sediment Controls and Protocols Update December 2013."

Summary of Results:

Monitoring Point 1:

Pollutant	Unit of Measure	100 Percentile Concentration Limit	Lowest sample value	Highest sample value	Mean of samples
pH	pH	6 - 8.5	-	-	-
Total Suspended Solids	mg/L	50	-	-	-
Turbidity	NTU	50	-	-	-

Individual Results:

Monitoring Point 1:

Sample Date	Pollutant	Unit of Measure	100 Percentile Concentration Limit	Test Result	Exceedance (Y/N)
No discharge events during period					